### In the claims:

1-34. (Cancelled).

35.(Currently amended) The compound of claim 14 of the formula

$$R^{10} \xrightarrow{N} Q \xrightarrow{R^3} Q \xrightarrow{R^3$$

#### wherein

R<sup>2</sup> is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, hydroxy or cyano;

R<sup>3</sup> is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R<sup>5</sup> is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R<sup>6</sup> is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R<sup>7</sup> is hydrogen, or unsubstituted lower alkyl;

R<sup>9</sup> is hydrogen, lower alkyl, or aryl-lower alkyl; and

R<sup>10</sup> is hydrogen.

 $R^{11}$  is H or lower alkyl,  $R^{13}$  is H or unsubstituted lower alkyl, n=0 or 1,

R<sup>a</sup>, R<sup>b</sup> are lower alkyl or R<sup>a</sup> and R<sup>b</sup> taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and

R<sup>12</sup> is heterocyclyl, aryl or lower cycloalkyl

and Z is O, S or NR<sup>28</sup>,

wherein  $R^{28}$  is H or lower alkyl.

## 36. .(Previously presented) The compound of claim 35 of the formula

$$R^{10}$$
 $R^{9}$ 
 $R^{2}$ 
 $R^{3}$ 
 $R^{10}$ 
 $R^{10}$ 

wherein

 $R^{11}$  is H or lower alkyl,  $R^{13}$  is H or unsubstituted lower alkyl,

n=0 or 1 and

R<sup>12</sup> is heterocyclyl, aryl or lower cycloalkyl.

37. -(Currently amended)The compound of claims 36 wherein R<sup>2</sup> is methoxy and R<sup>3</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>9</sup>, R<sup>10</sup>,R<sup>11</sup> and R<sup>13</sup> are hydrogen.

38.(Currently amended)The compound of claim 37 wherein R<sup>12</sup> represents is aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

39. -(Currently amended)The compound of claim 38 selected from the group consisting of:

51

Nome	Structure
Name	
N-[3-(4-Hydroxy-phenoxy)-1,1-	N O O CH3
dimethyl-propyl]-N'-(3-methoxy-4-	
oxazol-5-yl-phenyl)-oxalamide	L CH <sub>3</sub> O
	N Y N
	O CH3 OH
N-[3-Methoxy-4-(5-oxazolyl)	
phenyl]-N'-[3-(4-	N O O CH3
methoxyphenoxy)-1,1-	
dimethylpropyl]oxalamide	CH <sub>3</sub> O ~
	O CH <sub>3</sub>
	CH,
N-[3-Methoxy-4-(5-oxazolyl)	A 211
phenyl]-N'-[1,1-dimethyl-3-(4-	
nitrophenoxy)propyl]oxalamide	
	L L CH <sub>3</sub> O
	N
·	O CH3
	ö
N-[3-(2-Hydroxyphenoxy)-1,1-	N O O CH3
dimethylpropyl]-N'-[3-methoxy-4-	
(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O ~
	N N N N N N N N N N N N N N N N N N N
	O CH <sub>3</sub> HO
N-[3-(4-Amino-phenoxy)-1,1-	N CH <sub>3</sub>
dimethyl-propyl]-N'-(3-methoxy-4-	
oxazol-5-yl-phenyl)-oxalamide	O CH
	$N \rightarrow N \rightarrow$
	O CH,
	NH <sub>2</sub>

N-[3-(4-Acetylamino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	NO OCH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-(3-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(3-nitrophenoxy)propyl]oxalamide	
N-[3-(3-Aminophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N CH <sub>3</sub> OH

2-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	NO OCH <sub>3</sub>
3-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O O OH
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	N CH <sub>3</sub> O CH <sub>3</sub>
2-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	N O O CH <sub>3</sub> N CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-3-phenoxypropyl)oxalamide	CH <sub>3</sub>

N-[3-Methoxy-4-(5-oxazolyl)	N O O CH3
phenyl]-N'-[1,1-dimethyl-3-(1-	
oxido-3-pyridyloxy)propyl]	
oxalamide	
	N N
	Ö сн
	, N
	o o
N-[3-(3,4-Dihydroxyphenoxy)-1,1-	N CH
dimethylpropyl]-N'-[3-methoxy-4-	
(5-oxazolyl)phenyl]oxalamide	
(5 Chazory) phony i johanamae	
	Ö ÖH, CH
a a	OH I
N. F2. Madhanna A. (5. annsalad)	·
N-[3-Methoxy-4-(5-oxazolyl)	N O O CH <sub>3</sub>
phenyl]-N'-[1,1-dimethyl-3-[4-	
(methylcarbamoyl)phenoxy]propyl]	l
oxalamide	$N \longrightarrow N \longrightarrow$
·	O OH,
·	
	0
N-[3-Methoxy-4-(5-oxazolyl)	N CH <sub>3</sub>
phenyl]-N'-[3-(3,4-	
dimethoxyphenoxy)-1,1-	0
dimethylpropyl]oxalamide	L CH <sub>3</sub> O
	W Y Y
	Ö CH <sub>3</sub>
	H <sub>3</sub> C <sup>OCH</sup> 3
N-[3-[4-[(2-Hydroxyethyl)	CH
	N O OCH3
carbamoyl]phenoxy]-1,1-dimethyl-	
propyl]-N'-[3-methoxy-4-(5-	CH <sub>3</sub>
oxazolyl)phenyl]oxalamide	
	Ö CH <sub>3</sub>
	0

N-[3-(3-Chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	N O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	CH <sub>3</sub> O CH <sub>3</sub> O N
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-pyridyloxy)propyl]oxalamide	O O CH <sub>3</sub> O O N O H <sub>3</sub> C CH <sub>3</sub>
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	O CH, O CH, O CH
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	O O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
4-[2-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-2-methylpropoxy]benzoic acid	CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O

4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-methylbenzoic acid	N O O CH <sub>3</sub> O
3-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	NO OCH3 OCH3 OCH3 OH
3-[4-[3-[[[3-Methoxy-4- (5oxazolyl)anilino]oxalyl]amino]- 3-methylbutoxy]phenyl]propionic acid	N O O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
3-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	OH,C CH, OH

4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-3-methylbenzoic acid	O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[3-(4-Cyano-2-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub>
N-[3-(3-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O
N-[3-[4-(4-Acetyl-1-piperazinyl) phenoxy]-1,1-dimethylpropyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-morpholinophenoxy)propyl] oxalamide	OH3 OH3 CH3 ON

N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-[3- (dimethylamino)phenoxy] propyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub>
N-[3-(1,3-Benzodioxol-5-yloxy)- 1,1-dimethylpropyl]-N'-[3- methoxy-4-(5-oxazolyl)phenyl] oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3,4,5-trimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	CH, O
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3,5-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>
N-[3-(5,6,7,8-Tetrahydro-5-oxo-2-naphthyloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH, OH,C CH,

a 1	
N-[3-(2-Acetamido-5-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH OHC OH OH
N-[3-(3-Acetamidophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> OHC CH <sub>3</sub> OHC OH <sub>3</sub>
N-[3-(1H-Indol-4-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub>
N-[3-(2-Fluoro-6-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-oxo- 2H-1-benzopyran-7- yloxy)propyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub>

N-[3-(4-Acetyl-3-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	CH <sub>3</sub> O H <sub>C</sub> CH <sub>3</sub> O CH <sub>3</sub>
(E)-N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-[4-(3-oxo-1-butenyl)phenoxy]propyl] oxalamide	CH, O H, C OH, O
N-[3-(3-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub>
N-[3-(4-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> O
N-[3-(4-Acetamido-2-chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> OCH <sub>3</sub>

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridyloxy)propyl]oxalamide	O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(1-oxido-4-pyridyloxy)propyl] oxalamide	O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-4-pyridyloxy)propyl] oxalamide	O CH <sub>3</sub> O OH <sub>3</sub> O OH <sub>3</sub> O OH <sub>3</sub> O OH <sub>3</sub> OH
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-1-oxido-4-pyridyloxy) propyl]oxalamide	N O O O O O O O O O O O O O O O O O O O
N-[2-(4-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O CH <sub>3</sub>

N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(2-methoxy-4-pyridyloxy)-1,1-dimethylpropyl] oxalamide	O O CH <sub>3</sub> O O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-[4-(1H-tetrazol-5-yl)phenoxy]ethyl] oxalamide	CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> N N N N N N N N N N N N N N N N N N N
N-[3-(4-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> OHC OH <sub>3</sub>
N-[2-(3-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O N
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-[3-(1H-tetrazol-5-yl)phenoxy]ethyl] oxalamide	CH <sub>3</sub> O CH <sub>3</sub> O N N N

N-[3-Methoxy-4-(5-oxazolyl)	N-N
phenyl]-N'-[1,1-dimethyl-3-[4-(1H-	
tetrazol-5-yl)phenoxy]propyl]	CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub>
oxalamide	0 0 0
	N-3
Benzyl 2-methoxy-4-[3-[[[3-	N O CH3
methoxy-4-(5-	CH,
oxazolyl)anilino]oxalyl]amino]-3-	i ch
methylbutoxy]benzoate	N N N N N N N N N N N N N N N N N N N
	O CH <sub>3</sub>
3-Chloro-4-[3-[[[3-methoxy-4-(5-	CH <sub>3</sub>
oxazolyl)anilino]oxalyl]amino]-3-	
methylbutoxy]benzoic acid	o a
	он он
*	0,
	Ö
	Ti di
2-Methoxy-4-[3-[[[3-methoxy-4-(5-	N O O CH₃
oxazolyl)anilino]oxalyl]amino]-3-	СН
methylbutoxy]benzoic acid	CH <sub>3</sub> C C
	Ö ĊĦ₃
* *	Ö
3-Methoxy-4-[3-[[[3-methoxy-4-(5-	√O O CH₃
oxazolyl)anilino]oxalyl]amino]-3-	N \
methylbutoxy]benzoic acid	
	N N N O
	0H,C CH, OH
	сң, о

2-Chloro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N O O CH <sub>3</sub> O H <sub>2</sub> C CH <sub>3</sub> O O O CH O O O O O O O O O O O O O O O O O O O
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	N CH <sub>3</sub> O CH <sub>3</sub>
(cis/trans)-4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-1-cyclohexanecarboxylic acid	N O O O O O O O O O O O O O O O O O O O
(cis/trans)-4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]-1-cyclohexanecarboxylic acid	O N N O O O O O O O O O O O O O O O O O
3-Fluoro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N O O O O O O O O O O O O O O O O O O O
3-Acetamido-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N O O O O O O O O O O O O O O O O O O O

3-(Methanesulfonamido)-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	N O O O O O O O O O O O O O O O O O O O
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-3,5-dimethylbenzoic acid	N O O O O O O O O O O O O O O O O O O O
3-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-pyridinecarboxylic acid	N O O OH
8-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	N O O O OH
5-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-indolecarboxylic acid.	N O O O O O O O O O O O O O O O O O O O

40.(\_Previously presented) The compound of claim 35 of the formula:

$$R^{10}$$
 $R^{9}$ 
 $R^{2}$ 
 $R^{3}$ 
 $R^{10}$ 
 $R^{10}$ 

wherein

R<sup>11</sup> is H or lower alkyl, R<sup>13</sup> is H or unsubstituted lower alkyl, n= 0 or 1, m=1 to 5 and, R<sup>12</sup> is heterocyclyl, aryl or lower cycloalkyl.

- 41. (Currently amended) The compound of claim 40 wherein R<sup>2</sup> is methoxy and R<sup>3</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>9</sup>, R<sup>10</sup>, R<sup>11</sup> and R<sup>13</sup> are hydrogen.
- 42. (Currently amended)The compound of claim 41 wherein R<sup>12</sup> represents is aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 43. -(Currently amended)The compound of claim 42 selected from the group consisting of:

Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoate	CH <sub>3</sub>
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoate	CH <sub>3</sub> O O
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoate	CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoic acid	CH, O O O
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoic acid	QH, O O O O

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl)amino]-1-cyclobutyl]ethoxy]benzoic acid.	CH <sub>3</sub> O O OH
	O O O

44. -(Currently amended)The compound of claim 35 of the formula

$$R^{10}$$
 $R^{10}$ 
 $R$ 

45. .(Previously presented)The compound of claim 44 wherein  $R^2$  is methoxy and  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen.

46. -(Currently amended)The compound of claim 45 wherein R<sup>12</sup> represents is aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

# 47. -(Currently amended)The compound of claim 46 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub>
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2- (phenylthio)ethyl]oxalamide	CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(2- pyridylthio)ethyl]oxalamide	O O S N O H <sub>3</sub> C CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2- pyridylthio)propyl]oxalamide	O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>

N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thienylthio)propyl]oxalamide	O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> S S
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-pyrimidylthio)propyl]oxalamide	O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4-pyridylthio)propyl]oxalamide	O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thiazolylthio)propyl]oxalamide	O O CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub> S S
N-[3-(4-Hydroxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	O CH S

v = 2	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(5-methyl-1,3,4-thiadiazol-2-ylthio) propyl]oxalamide	O O O CH <sub>3</sub> O O O O O CH <sub>3</sub> O O O O O O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[3-(2-Benzooxazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	O O CH <sub>3</sub> O O CH <sub>3</sub> O O CH <sub>3</sub> O O CH <sub>3</sub> O O O CH <sub>3</sub> O O O CH <sub>3</sub> O O O O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[3-(2-Benzothiazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	O O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> S N
Methyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoate	CH <sub>3</sub> O CH <sub>3</sub> S O CH <sub>3</sub>
tert-Butyl 6-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylate	N O O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O CH <sub>3</sub> O CH <sub>3</sub>

6-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	O O O O O O O O O O O O O O O O O O O
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylthio]benzoic acid	O O CH <sub>3</sub> O H <sub>2</sub> C CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	N^O O' N N N S O O
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
2-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylthio]-5-benzoxazolecarboxylic acid	O O O O O O O O O O O O O O O O O O O
N-[3-(1H-Imidazol-2-ylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

2-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	F O F O F O O O O O O O O O O O O O O O
4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoic acid	HO O N N N N N N N N N N N N N N N N N N
2-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylthio]-6-benzoxazolecarboxylic acid.	O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O O CH <sub>3</sub> O O CH <sub>3</sub> O O O CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O

48. (Previously presented) The compound of claim 35 of the formula

$$R^{10}$$
 $R^{9}$ 
 $R^{2}$ 
 $R^{3}$ 
 $R^{3}$ 
 $R^{10}$ 
 $R^{10}$ 

49. (Previously presented)Compound of claim 48, wherein  $R^2$  is methoxy and  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen and  $R^{28}$  is hydrogen or methyl.

50. -(Currently amended)The compound of claim 49 wherein R<sup>12</sup> represents is aryl.

# 51. (Currently amended) The compound of claim 50 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(N-methylanilino) ethyl] oxalamide	O O CH <sub>3</sub> O H <sub>3</sub> C O O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub>
N-(3-Anilino-1,1-dimethylpropyl)- N'-[3-methoxy-4-(5-oxazolyl) phenyl]oxalamide hydrochloride (1:1)	N O O CH <sub>3</sub> N CH <sub>3</sub> N
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylamino]benzoic acid.	N O O CH <sub>3</sub> O H <sub>3</sub> C CH <sub>3</sub> O O O O O O O O O O O O O O O O O O O

52-74. (Cancelled).